Author Index

AGNEW R.D.M. *see* GUNN R.G.
ALCOCK M.B. *see* MARTIN J.H.
ALLEN J.W. *see* SKINNER R.J.
AYRES J.F. Sources of error with *in vitro* digestibility assay of pasture feeds 89
AZAZI S. *see* PHILLIPS C.J.C.

BAKER C.B. *see* SWEET N.
BAKER D.H. *see* MOSELEY G.
BARKER G.M. Slug density–seedling establishment relationships in a pasture renovated by direct drilling 113
BARTHRAM G.T. *see* GRANT SHEILA A.
BELESKY D.P., WILKINSON S.R. and STUEDEMANN J.A. The influence of nitrogen fertilizer and *Acremonium coenophialum* on the soluble carbohydrate content of grazed and non-grazed *Festuca arundinacea* 159
BINNIE R.C. and CHESTNUTT D.M.B. Effect of regrowth interval on the productivity of swards defoliated by cutting and grazing 343
BLUM H. *see* MENZI H.
BROOKMAN S.K.E. *see* TALLOWIN J.R.B.
BROWN S. *see* SMITH S.M.
BURLISON A.J., HODGSON J. and ILLIUS A.W. Sward canopy structure and the bite dimensions and bite weight of grazing sheep 29

CHAMBERLAIN A.G. *see* PHILLIPS C.J.C.
CHARMLEY E. and VEIRA D.M. The effect of heat-treatment and gamma radiation on the composition of unwilted and wilted lucerne silages 381
CHESTNUTT D.M.B. *see* BINNIE R.C.
CHIY C.P. and PHILLIPS C.J.C. The effects of sodium chloride application to pasture, or its direct supplementation, on dairy cow production and grazing preference 325
COLLIER W.A. *see* HART A.L.
COLLINS ROSEMARY P., GLENDINING MARGARET J. and RHODES I. The relationships between stolon characteristics, winter survival and annual yields in white clover *(Trifolium repens* L.) 51
COMMON T.G., HUNTER E.A., EADIE J., FLOATE M.J.S. and HODGSON J. The long-term effects of a range of pasture treatments applied to three semi-natural hill grassland communities. 2. Animal performance 253
COMMON T.G., HUNTER E.A., FLOATE M.J.S., EADIE J. and HODGSON J. The long-term effects of a range of pasture treatments applied to three semi-natural hill grassland communities. 1. Pasture production and botanical composition 239
COOK J.E. *see* JACOBS J.L.
COOK R. *see* LEWIS G.C.
CRAWFORD C.E. *see* DOUGLAS J.T.

DALLING M.J. *see* McGUINNESS S.F.
DAMPNEY P.M.R. *see* PAYNTER R.M.
DAVIES D.A., FOTHERGILL M. and JONES D. Assessment of contrasting perennial ryegrasses, with and without white clover, under continuous sheep stocking in the uplands. 3. Herbage production, quality and intake 39
DEN NIJS A.P.M. *see* HUIZING H.J.
DOUGLAS J.T. and CRAWFORD C.E. Wheel-induced soil compaction effects on ryegrass production and nitrogen uptake 405

EADIE J. *see* COMMON T.G.
EVANS C. *see* THOMAS H.

FLOATE M.J.S. *see* COMMON T.G.
FOTHERGILL M. *see* DAVIES D.A.
FRAME J. Herbage production and quality of a range of secondary grass species at five rates of fertilizer nitrogen application 139
FRAME J. and MORRISON M.W. Herbage productivity of prairie grass, reed canary-grass and phalaris 417

GIBB M.J. Differences in the vertical distribution of plant material within swards continuously stocked with cattle 339
GLENDINING MARGARET J. *see* COLLINS ROSEMARY P.
GRACEY H.I. *see* LONG F.N.J.
GRANT S.A., TORVELL L., SIM E.M. and SMALL J. The effect of stolon burial and defoliation early in the growing season on white clover performance 173
GRANT SHEILA A. and BARTHRAM G.T. The effects of contrasting cutting regimes on the components of clover and grass growth in microswards 1 (*see also* 447)
GUNN R.G., SMITH W.F., AGNEW R.D.M., SMITH A.D.M. and SIM D.A. Net production of herbage from a continuously stocked *Lolium perenne*-dominated sward in late autumn 437

HART A.L. and COLLIER W.A. Inorganic phosphorus and DNA concentrations in the leaf tissue of some forage species 167
HISSA K. *see* JAAKKOLA S.
HODGSON J. *see* BURLISON A.J., COMMON T.G.
HUHTANEN P. *see* JAAKKOLA S.
HUIZING H.J., VAN DER MOLEN W., KLOEK W. and DEN NIJS A.P.M. Detection of lolines in endophyte-containing meadow fescue in The Netherlands and the effect of elevated temperature on induction of lolines in endophyte-infected perennial ryegrass 441
HUME D.E. Primary growth and quality characteristics of *Bromus willdenowii* and *Lolium multiflorum* 313
HUNTER E.A. *see* COMMON T.G.
HUTCHINGS N.J. Spatial heterogeneity and other sources of variance in sward height as measured by the sonic and HFRO sward sticks 277

ILLIUS A.W. *see* BURLISON A.J.
ISON R.L. *see* STIMSON C.

JAAKKOLA S., HUHTANEN P. and HISSA K. The effect of cell wall degrading enzymes or formic acid on fermentation quality and on digestion of grass silage by cattle 75
JACOBS J.L., COOK J.E and McALLAN A.B. Enzymes as silage additives. 2. The effect of grass dry matter content on silage quality and performance in sheep 191
JACOBS J.L. and MCALLAN A.B. Enzymes as silage additives. 1. Silage quality, digestion, digestibility and performance in growing cattle 63
JAINDL R.G., SHARROW S.H. and MEYER H.H. Effect of winter grazing date on yield components of *Lolium perenne* (L.)/*Trifolium repens* (L.) hill pasture 351
JONES D. *see* DAVIES D.A.
JONES L. Laboratory studies on the effect of potassium carbonate solution on the drying of cut forage 153

KELLAWAY R.C. *see* STIMSON C.
KENNEDY S.J. *see* LONG F.N.J.
KETELAAR R. *see* TAMMINGA S.
KLOEK W. *see* HUIZING H.J.

LEIBENSPERGER R.Y. *see* MUCK R.E.
LEWIS G.C. Interactions between pesticide treatment, cutting frequency and rate of N fertilizer on white clover grown in mixture with perennial ryegrass 399
LEWIS G.C., COOK R. and VAN DER ENDE A. Effect of agrochemicals applied at sowing on seedling emergence and herbage yield of perennial ryegrass and white clover 121
LONG F.N.J., KENNEDY S.J. and GRACEY H.I. Effect of fertilizer nitrogen rate and timing on herbage production and nitrogen use efficiency for first-cut silage 231

MARGERISON J.K. *see* PHILLIPS C.J.C.
MARTIN J.H., PHILLIPS C.J.C. and ALCOCK M.B. Supplementary forage for grazing sheep. 1. Effects on lactating ewes and lambs 209
MARTIN J.H., PHILLIPS C.J.C. and ALCOCK M.B. Supplementary forage for grazing sheep. 2. Effects on weaned lambs 217
McALLAN A.B. *see* JACOBS J.L.
McGUINNESS S.F., PEARCE G.R., DALLING M.J. and SIMPSON R.J. The effect of a chemical hybridizing agent on the morphology and chemical composition of annual ryegrass 107
MENZI H., BLUM H. and NÖSBERGER J. Relationship between climatic factors and the dry matter production of swards of different composition at two altitudes 223
MEYER H.H. *see* JAINDL R.G.
MORRISON M.W. *see* FRAME J.
MOSELEY G. and BAKER D.H. The efficacy of a high magnesium grass cultivar in controlling hypomagnesaemia in grazing animals 375
MUCK R.E., PITT R.E. and LEIBENSPERGER R.Y. A model of aerobic fungal growth in silage. 1. Microbial characteristics 283
MUCK R.E. *see* PITT R.E.

NAKASHIMA H. *see* SUGIYAMA S.
NÖSBERGER J. *see* MENZI H.

OMED H. *see* PHILLIPS C.J.C.
ORR R.J. *see* PENNING P.D.

PARSONS A.J. *see* PENNING P.D.
PAYNTER R.M. and DAMPNEY P.M.R. The effect of rate and timing of phosphate fertilizer on the yield and phosphate offtake of grass grown for silage at moderate to high levels of soil phosphorus 131
PEARCE G.R. *see* McGUINNESS S.F.
PENNING P.D., PARSONS A.J., ORR R.J. and TREACHER T.T. Intake and behaviour responses by sheep to changes in sward characteristics under continuous stocking 15
PHILLIPS C.J.C., MARGERISON J.K., AZAZI S., CHAMBERLAIN A.G. and OMED H. The effect of adding surface water to herbage on its digestion by ruminants 333
PHILLIPS C.J.C. *see also* CHIY C.P., MARTIN J.H.
PICKERING N.B. *see* PITT R.E.
PITT R.E., MUCK R.E. and PICKERING N.B. A model of aerobic fungal growth in silage. 2. Aerobic stability 301
PITT R.E. *see also* MUCK R.E.

RAURAMAA A.L., SETÄLÄ J.J. and TOMMILA A.E.A. The effect of glucose oxidase on the preservation of grass silage 359
RHODES I. *see* COLLINS ROSEMARY P.

SCHREIER H.E. *see* SMITH S.M.
SETÄLÄ J.J. *see* RAURAMAA A.L.
SHARROW S.H. *see* JAINDL R.G.
SIM D.A. *see* GUNN R.G.
SIM E.M. *see* GRANT S.A.
SIMPSON R.J. *see* McGUINNESS S.F.
SKINNER R.J. and ALLEN J.W. Response to late season nitrogen of upland swards in Wales 269
SMALL J. *see* GRANT S.A.
SMITH A.D.M. *see* GUNN R.G.
SMITH S.M., SCHREIER H.E. and BROWN S. Spatial analysis of forage parameters using geographic information system and image-analysis techniques 183
SMITH W.F. *see* GUNN R.G.
STIMSON C., KELLAWAY R.C., TASSELL R.J. and ISON R.L. Prediction of the nutrient content of botanical fractions from annual legumes by near-infrared reflectance spectroscopy 99
STUEDEMANN J.A. *see* BELESKY D.P.
SUGIYAMA S. and NAKASHIMA H. Effects of cultivars of tall fescue *(Festuca arundinacea* Schreb.) on the botanical composition of mixed swards 365
SWEET N., WILTSHIRE J.J.J. and BAKER C.B. A new descriptive scale for early reproductive development in *Lolium perenne* L. 201

TALLOWIN J.R.B., TYSON C.M. and BROOKMAN S.K.E. Differences in lamina wettability in some permanent grass species and two *Lolium perenne* cultivars 265
TAMMINGA S., KETELAAR R. and VAN VUUREN A.M. Degradation of nitrogenous compounds in conserved forages in the rumen of dairy cows 427
TASSELL R.J. *see* STIMSON C.
THOMAS H. and EVANS C. Growth and water relations of simulated swards of *Lolium perenne* L. selection lines with contrasting leaf osmotic potentials 391
TOMMILA A.E.A. *see* RAURAMAA A.L.
TORVELL L. *see* GRANT S.A.
TREACHER T.T. *see* PENNING P.D.
TYSON C.M. *see* TALLOWIN J.R.B.

VAN DER ENDE A. *see* LEWIS G.C.
VAN DER MOLEN W. *see* HUIZING H.J.
VAN VUUREN A.M. *see* TAMMINGA S.
VEIRA D.M. *see* CHARMLEY E.

WILKINSON S.R. *see* BELESKY D.P.
WILTSHIRE J.J.J. *see* SWEET N.